000 000 000	CONFIDENTIAL 24 0/0580 0/0988 50 0/0988 11 September 1958
MEMO	ORIGINAL CL BY 235979 DECLY REVW ON 20/0 EXT BYND 6 YRS BY SAME
FROM	REASON 30(3)
S UB J	ECT: Visit to to Inspect the Mechanical Transmitter Interlock Safety Switches - Project E-5106
	1. On 10 and 11 September, the project engineer visited the to make a final inspection of the first 50 (25 each 231-D and 25
	16-F) mechanical interlock safety switch modification kits prior to
	r shipment to The inspection of 10 September en-
as t	ed the random selection of shipping cartons and checking the contents of the correct number of parts and proper workmanship. The inspection
as t reve vere ment re-a	ed the random selection of shipping cartons and checking the contents of the correct number of parts and proper workmanship. The inspection aled that the micro switches on the back side of the safety switches not always being properly actuated by the plunger due to mis-align-engineer was instructed to have the plungers and switches ligned and a final inspection was re-scheduled for the next morning, eptember.
es to reve were ment re-a 11 8	ed the random selection of shipping cartons and checking the contents o the correct number of parts and proper workmanship. The inspection aled that the micro switches on the back side of the safety switches not always being properly actuated by the plunger due to mis-align- engineer was instructed to have the plungers and switches ligned and a final inspection was re-scheduled for the next morning,
one the	of the random selection of shipping cartoms and checking the contents of the correct number of parts and proper workmanship. The inspection aled that the micro switches on the back side of the safety switches not always being properly actuated by the plunger due to mis-align-engineer was instructed to have the plungers and switches ligned and a final inspection was re-scheduled for the next morning, eptember. 2. The rest of the inspection on 10 September revealed that, with exception, the kits were ready for shipment. This one exception was timing motor assemblies which were not yet in the boxes due to their arrival at the plant. 3. The project engineer returned to the arrival inspection of the shipping boxes. Another investigation he micro switches revealed that there was still some doubt as to whether
one the late	the random selection of shipping cartons and checking the contents of the correct number of parts and proper workmanship. The inspection aled that the micro switches on the back side of the safety switches not always being properly actuated by the plunger due to mis-align-engineer was instructed to have the plungers and switches ligned and a final inspection was re-scheduled for the next morning, eptember. 2. The rest of the inspection on 10 September revealed that, with exception, the kits were ready for shipment. This one exception was timing motor assemblies which were not yet in the boxes due to their arrival at the plant. 3. The project engineer returned to the on 11 September also the final inspection of the shipping boxes. Another investigation he micro switches revealed that there was still some doubt as to whether ain of the plungers would actuate the switches in the present alignment, project engineer and engineer agreed that the alignment was
to most tree to most tree to most tree tree tree tree tree tree tree tr	the random selection of shipping cartons and checking the contents of the correct number of parts and proper workmanship. The inspection aled that the micro switches on the back side of the safety switches not always being properly actuated by the plunger due to mis-align-engineer was instructed to have the plungers and switches ligned and a final inspection was re-scheduled for the next morning, eptember. 2. The rest of the inspection on 10 September revealed that, with exception, the kits were ready for shipment. This one exception was timing motor assemblies which were not yet in the boxes due to their arrival at the plant. 3. The project engineer returned to the ale on 11 September are the final inspection of the shipping boxes. Another investigation he micro switches revealed that there was still some doubt as to whether ain of the plungers would actuate the switches in the present alignment, project engineer and engineer agreed that the alignment was a not satisfactory and a method of alignment was decided upon to insure te-free operation. The
to most till fault see	the random selection of shipping cartons and checking the contents of the correct number of parts and proper workmanship. The inspection aled that the micro switches on the back side of the safety switches not always being properly actuated by the plunger due to mis-align-engineer was instructed to have the plungers and switches ligned and a final inspection was re-scheduled for the next morning, eptember. 2. The rest of the inspection on 10 September revealed that, with exception, the kits were ready for shipment. This one exception was timing motor assemblies which were not yet in the boxes due to their arrival at the plant. 3. The project engineer returned to the on 11 September ake the final inspection of the shipping boxes. Another investigation he micro switches revealed that there was still some doubt as to whether ain of the plungers would actuate the switches in the present alignment. Project engineer and engineer agreed that the alignment was a not satisfactory and a method of alignment was decided upon to insure the operation. The stated that he would personally that the adjustments were properly made. Another inspection of a
to me of the still faul see samp ment	the random selection of shipping cartons and checking the contents of the correct number of parts and proper workmanship. The inspection aled that the micro switches on the back side of the safety switches not always being properly actuated by the plunger due to mis-align-engineer was instructed to have the plungers and switches ligned and a final inspection was re-scheduled for the next morning, eptember. 2. The rest of the inspection on 10 September revealed that, with exception, the kits were ready for shipment. This one exception was timing motor assemblies which were not yet in the boxes due to their arrival at the plant. 3. The project engineer returned to the ale on 11 September are the final inspection of the shipping boxes. Another investigation he micro switches revealed that there was still some doubt as to whether ain of the plungers would actuate the switches in the present alignment, project engineer and engineer agreed that the alignment was a not satisfactory and a method of alignment was decided upon to insure te-free operation. The

CONFIDENTIAL